

869

37

y 1

THE
AGE OF HORSES
BY
THEIR TEETH.

SF

869


B87

LIBRARY OF CONGRESS.

Copyright No. *SF 869*


Shelf *B 87*

UNITED STATES OF AMERICA.



THE
AGE OF HORSES

By Their Teeth



AND

The Measurement of the King of the Turf

15.18
9540
AND OTHER NOTED HORSES,

BY

RUFUS BROWN

BUFFALO, N. Y.

PRICE, - - - - - \$1.00

Copyright entered according to act of Congress in
the year 1880, by Rufus Brown, in the office of the
Librarian of Congress at Washington.

(1880)
π

THE BARTLETT PICTORIAL PRINTING HOUSE,
20 & 22 SENECA ST., BUFFALO, N. Y.
1880.

SF869
387

9.2.13. 52. 51/2

INTRODUCTION.

There are few persons, even among the veterenary surgeons or horse dealers who are able to determine the age of a horse, after it has attained its eighth year; how much less then can it be expected that those should do so, who have never made it a study.

Horse dealers are frequently accused of deceiving purchasers in the age of horses when they themselves were deceived. The purpose of this book is to set aside this deception and to enable all, both sellers and buyers, even those who never knew anything about the age of a horse to discover for themselves with accuracy the age of any horse.

FOAL TEETH.

At the age of $2\frac{1}{2}$ years the teeth begin to change, and those which then appear are permanent Horse teeth.




FIG. I.— $\frac{1}{2}$ YEAR OLD.

This cut represents the lower jaw of a half year old foal. By observing the inside, it will be perceived that, both the outer and inner edge of the nippers are worn, but of the middle teeth only the outer edge, while the corner teeth have not yet come into contact.

- 1, 1, The Nippers.
- 2, 2, The Middle teeth.
- 3, 3, The Corner teeth.




FIG. II.—1 YEAR OLD.

Shows the lower jaw at a year old, where the edges of all the incisors are partly worn by friction, and the inner edge of the corner teeth remain uninjured.





FIG. III.—2 YEAR OLD.

Shows the lower jaw at 2 years old; the nippers and middle teeth are worn down to the extent of the marks in the teeth, the inner edge of the corner teeth are also worn.

FIG. IV.—SHOWS A NIPPER AFTER THE CUTTING OF THE HORSE INCISOR.

FIG. 4.



I.—Shows a nipper at the age of 3 years, 1 and 2 is its breadth, 3 and 4 its thickness.

II.—As it appears at the age of 6 years, where merely a trace of the disappearing mark is visible, the breadth, 1 and 2, decreases, and increases in thickness, 3 and 4.

III.—As it appears at 12 years, as thick as broad. It has become round.

IV.—As at 18 years, a triangular surface.

V.—As it appears at the age of 24 years, twice as thick, 3 and 4, as broad, 1 and 2.

The form of a permanent nipper may be thus described.

The more it loses in length by friction the more it also loses in width, so that the nearer the friction surface approaches to the end of the root, the narrower and thicker it must appear.

A full grown stallion or gelding has 40 and a mare 36 real teeth; the former have 4 hook or commonly called bridle teeth, which are wanting in the latter, although sometimes in place of the hooks small stumps similar to teeth are found.

In some young horses are found what are called Wolf's teeth which are not included in this number because they are not real teeth and are found next to the first double teeth and should always be extracted as soon as observed.

The 4 hook or bridle teeth are seated alone, nearer to the corner teeth on the lower than on the upper jaw; so that they never come in contact with each other.

The whole number of teeth does not become complete and perfect until the horse has attained the age of $4\frac{1}{2}$ or 5 years.

We have now shown in what manner the age of a foal can be ascertained until it reaches the age of two years. The following will ex-

plain how the age of a horse which does not average over 30 years can with certainty be ascertained.

We will take the teeth of horses of a medium size as a standard, and from the rules laid down for these, we can calculate the age under other circumstances.

Large horses, it is evident, have larger teeth than small ones, but the age of both can be ascertained by the same rule as that laid down for those of medium size. Large horses' teeth protrude 1 or 2 lines more above the gums than smaller ones. After the newly changed tooth has arrived at its proper length it shoots up a line regularly every year and if the teeth stand rightly the grinder wears off a line every year. A line is one twelfth of an inch. Should the teeth stand too far forward they do not wear down in the same proportion as they shoot upwards. This is however no hinderance in ascertaining the age.

At the age of 5 years the corner teeth of the lower jaw have grown up to 5 lines above the gum, each middle tooth 7, and each nipper 9 lines.

At 8 years of age and older, each corner tooth of the same horse projects only 4, the middle teeth 6, and the nippers 8 lines above the gums. This is very important, in fact necessary, to be known because it is the only means, by which one can decide with certainty

upon the age of a horse whose teeth at an advanced age have become longer than they would have done by proper wear.

We will first describe in what manner the age of a horse can be ascertained by those teeth which wear down just in the same proportion as they shoot upwards, and consequently retain their proper height above the gum.




FIG. V.—2½ YEARS OLD.

This cut shows the lower jaw at 2½ years old, the two nippers breaking through as horse teeth and the remaining (4) foal teeth show a smooth friction surface.




FIG. VI.— $3\frac{1}{2}$ YEARS OLD.

Represents a lower jaw at $3\frac{1}{2}$ years of age. The two middle foal teeth disappear, the real horse teeth take their place.




FIG. VII.— $4\frac{1}{2}$ YEARS OLD.

The lower jaw at $4\frac{1}{2}$ years of age, the foal teeth all disappear, the corner teeth, and, hooks

breaking through, the nippers worn down at both edges, the Middle teeth only on the outer edges.




FIG VIII.—5 YEARS OLD.

Shows a lower jaw at 5 years of age the nippers with their marks almost entirely worn out, the middle teeth showing marks partially worn, the corner ones with the mark plainly seen but the edges partly worn. The hooks are full grown but are not worn away in the least.




FIG. IX.—6 YEARS OLD.

At 6 years the nippers with the marks worn out, the middle teeth with the marks disappearing, the corner ones showing the marks plainly but with the edges of the cavity considerably worn.

The Hooks in discovering the age of a horse are not to be relied on, the signs they present can only be considered useful, when they agree with those of other teeth.




FIG. X.—7 YEARS OLD.

Shows the lower jaw at 7 years , the middle teeth worn to a plane surface, the corner teeth still showing a small covity. The hooks have lost more of their edges and their pointed ends have become more rounded.

A Lower jaw at 8 years of age in which the incisor have all become equally worn and in the corner teeth merely a trace of the disappearing mark is visible, is shown in the following illustration:




FIG. XI.—8 YEARS OLD.

The edges of the hooks are worn down; almost to half their height. The Marks in the upper teeth are as deep again as those in the under ones and consequently wear as long again.





FIG. XII.—9 YEARS OLD.


Represents the upper jaw at 9 years old. the nippers showing a slight remnant of the mark, the middle and corner teeth still show the marks.

FIG. XIII.—10 YEARS OLD.



Shows an upper jaw at 10 years of age, the nippers worn to a plane surface, the middle teeth still showing a slight mark.

FIG. XIV.—11 YEARS OLD.



An upper jaw at 11 years old, the Middle teeth worn to a plane surface, the corner ones showing a slight cavity.




FIG. XV.—12 YEARS OLD.

The Lower jaw at 12 years of age, the nippers are as thick as Broad, they have become round.




FIG XVI.—13 YEARS OLD.

Shows a lower jaw at 13 years the nippers and middle teeth are perfectly rounded. The

corner ones increase in thickness, and the hooks have become blunt.




FIG. XVII.—14 YEARS OLD.

At 14 years of age the corner teeth of the lower jaw are round.




FIG. XVIII.—15 YEARS OLD.

At 15 years of age in which the nippers in the upper jaw are rounded.




FIG. XIX.—16 YEARS OLD.

At 16 years the middle teeth are also rounded.



FIG. XX.—17 YEARS OLD.

At 17 years of age the corner teeth of the upper jaw are also rounded.




FIG. XXI.—18 YEARS OLD.

At 18 years the nippers of the upper jaw are triangular.




FIG. XXII.—19 YEARS OLD.

At 19 years of age the middle teeth assume the same triangular appearance.




FIG. XXIII.—20 YEARS OLD.

At 20 years of age the corner teeth of the lower jaw assume the same form.



FIG. XXIV.—21 YEARS OLD.

At 21 years the nippers of the upper jaw are also triangular.



FIG. XXV.—22 YEARS OLD.

At 22 years the middle teeth of the upper jaw are also triangular.



FIG. XXVI.—23 YEARS OLD.

At 23 years of age the corner teeth of the upper jaw are triangular.




FIG. XXVII.—24 YEARS OLD.

At 24 years of age the nippers in the lower jaw are twice as thick 3 and 4, as broad 1 and 2, as represented in fig. 4.




FIG. XXVIII.—25 YEARS OLD.

At 25 years the middle teeth assume the same form.




FIG. XXIX.—26 YEARS OLD.

At 26 years of age the corner teeth of the lower jaw are also twice as thick as broad the upper jaw from the age of 26 to 29 assume the same form as those of the lower jaw from 23 to 26 at the age of 29 the corner teeth of the upper jaw are twice as thick as Broad

The foregoing plainly shows, that so long as the teeth retain their proper length, there is no difficulty in discerning the age of a horse.

We will prove that the age of a horse which have irregular teeth, can also be ascertained.

We have seen that the teeth shoot up a line every year, but do not wear down in the same degree, when they stand too far forward in the mouth, in order to discover the age of a horse with such teeth, it is necessary to observe the mark narrowly, for instance suppose, the mark on the surface of the teeth shows 8 years but the teeth are 4 lines too long for that age; it follows that the horse has lived 12 years.




FIG. XXX.—20 YEARS OLD.

Shows the front and side of a lower jaw which is 12 lines too long, the marks shows 8 years, but as the teeth has shot up a line each year and has not worn down, one must add the 12 superfluous lines to the 8 years shown by the marks we shall thus arrive at the age of the horse 20 years.




FIG. XXXI.—20 YEARS OLD.

Represents the same lower jaw of 20 years viewed from the inside. The friction surface shows 8 years.




FIG. XXXII —20 YEARS OLD.

If the superfluous length be removed one can see the friction of 20 years on the surface.




FIG. XXXIII.—20 YEARS OLD.

Shows a lower jaw in which the teeth are 10 lines to loong.

The distance from the gum to No. 1 is the natural height of the teeth as at 5 years of age when first comenced to wear, one line is one twelfth part of an inch.




FIG. XXXIV.—20 YEARS OLD.

Is an inside view of the same jaw, shows a mark of 6 years on the surface, the teeth are 10 lines too long, its age is 16 years.

There are men who stive to make horses appear younger than they are, by cutting off all of the nippers with a saw to the proper length, and then with a cutting instrument, the operator scoopes out a cavity in the corner nippers which is afterwards burnt with a hot iron until it is quite black, this is however easy of detection as a tooth of 16 years of age is not sufficiently broad to admit of such a mark, also the entire enamel would be disturbed.

There are also crib biters which by wearing out their front teeth appear a few years older than they really are. The age of these can be ascertained by their corner teeth, which are very seldom injured; should this be the case however then as many lines as are wanting to make the natural length must be deducted and the horse is as many years younger, as the teeth are lines too short.

In all the works which has been published on this subject the writer have only explained the variation in the teeth until the 8th or 9th year. Having examined both, living and dead horses, I have convinced myself that the age of a horse may be ascertained with the same accuracy after the 8th or 9th year as before.

Measurements.

Measurements or points of a horse which denote speed is shown in the following table.

To a person starting out to purchase a horse nothing can be of greater value than the knowledge of those points. A standard is needed by which the buyer may measure the several animals inspected.

The following table gives the measurement of St. Julien the King of the Turf, Dexter and Leviathan, also the time or records they have made:

	ST. JULIEN.	DEXTER.	LEVIATHAN.
	Inches.	Inches.	Inches.
Height of Withers	63½	62	64
Length of head.....	26½	25	23¾
Length of neck	30	25	30
Round the muzzle.....	20	19	18½
Round swell of Jaws	32	33	26
Length of back	26	23	18
From hip to hip over the loin..	24	19	19
Round the body at girth	73½	63¼	72
Round the flank over the loin.	70	65	72
Elbow to ground.....	36	36¾	37¼
Round the arm at swell.....	21	19½	22
Round the knee.....	13	13	12½
Round the hock.....	17	14¾	16⅓
Round cannon, midway.....	8½	8	9
Round cannon, hindleg.....	9½	8½	9½
Point of hip to point of hock...	41	40¼	42
Point of shoulder to pt buttock	64	62	69
Round neck at the head.....	29⅓	31¾	36
Round head at the body.....	45	42½	47
Round the barrel.....	79	71	
From point to point of shoulder	16	13	
Length of hip.....	22	22	
Time	2.11¼	2.17¼	2.30

These Books For Sale at
HORSEMENS' HEADQUARTERS.

ALL THE LATEST NOVELTIES IN THE LINE

Breesters Patent Breaking H traces.



Large Stock Always on Hand.

HORSE BOOTS OF EVERY DESCRIPTION

PLEASURE, BUSINESS AND TROTTING

H A R N E S S

HORSE FURNISHING GOODS.

NEURASTHENIPIONSKELESTERIZO.

Prof. Going's Cough, Colic, Worm and Tonic Powders.

Clipping Machines. Sweat Blankets.

Brown's Hoof Ointment.

Whips, Scrapers, Bandages, Hoods, Muzzles, Sponges.

KENDALL'S SPAVIN CURE.

OILS, CHAMOIS, SOAPS, BITS, FLOATS.

LADIE'S AND GENT'S RIDING SADDLES.


The Largest and Oldest Establishment in the City.

J. S. LYTLE & SON,

20 Exchange Street, - - Buffalo, N. Y.

The Bartlett Pictorial Printing House.

FRANK S. BARTLETT, Prop.



20 & 22 Seneca St., Buffalo, N. Y.

MAKES A SPECIALTY OF

Printing for Horsemen, Fair

And Race Associations,


BINDING, ENGRAVING,

GERMAN AND ENGLISH

Printing in the Finest Style and

at Lowest Rates for Cash.

These Books For Sale Here.





LIBRARY OF CONGRESS



0 002 837 473 2

